

IAPMO R&T OCEANA

7-11 Fullard Road, Narre Warren, Victoria 3805, Australia



IAPMO R&T Oceana is a product certification body which inspects and arranges for the independent laboratory testing of samples taken from the manufacturer's stock or from the market or a combination of both, to verify compliance of the requirements of applicable Standards and Specifications. This activity is coupled with periodic surveillance of the manufacturer's factory and any major subcontractor's site/s as well as the assessment of the manufacturer's Quality Assurance System. This certification is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO R&T Oceana of the product acceptance by Authorities Having Jurisdiction.

CERTIFICATE OF CONFORMITY

IAPMO R&T Oceana hereby grants to:

Vola A/S

Lunavej 2, Horsens DK-8700 Denmark

the right to use the WaterMark in accordance with the ABCB Manual for the WaterMark Certification Scheme;– Australian Standards; WaterMark Technical Specifications; and the Plumbing Code of Australia; only in respect of the certified product as described in the WaterMark Certificate of Conformity – Schedule of Certified Product (Refer also IAPMO Product Listing Directory). The Certificate is granted subject to the rules governing the WaterMark Certification Scheme and the Terms and Conditions of the Approved User Agreement and IAPMO Oceana's WaterMark Governance Rules.

Evaluated to:

AS 4032.4-2014

Water supply - Valves for the control of heated water supply temperatures - Thermostatically controlled taps for the control of heated water supply temperatures

Manufacturer:

Refer to Licence Holder

Licence No.: WM-032123

First Certified: 2 December 2021

Certification Date: 2 December 2021

Expiry Date: 1 December 2026


CEO, The IAPMO Group

This WaterMark certification is for the period indicated herein and is void after the date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO R&T Oceana, or any evidence of non-compliance with applicable Standards, Specifications or of inferior workmanship, may be deemed sufficient cause for revocation of this certification. Reproduction of or reference to this certificate for advertising purposes may be made only by specific written permission of IAPMO R&T Oceana. Any alteration of this certificate could be grounds for revocation of this certification.

"This certificate is issued by a JAS-ANZ accredited Conformity Assessment Body. The ABCB and JAS-ANZ do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The ABCB disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate."



WATERMARK CERTIFICATE OF CONFORMITY

SCHEDULE OF CERTIFIED PRODUCT



Certificate Holder

Vola A/S

A.B.N.:

Lunavej 2, Horsens DK-8700 Denmark

Manufacturer

Refer to Licence Holder

Standard

AS 4032.4-2014

Water supply - Valves for the control of heated water supply temperatures -
Thermostatically controlled taps for the control of heated water supply
temperatures

Licence No. WM-032123

Certification Date: 2 December 2021

Expiry Date: 1 December 2026

First Certified: 2 December 2021

Brand Name	Model Name	Model ID	Product Type	Product Description	Nominal Size	End Connection	Nominated pre-set Temperature	Limitation of Temperature Adjustment	Material
VOLA	VOLA	5400FV	Thermostatic Mixing Valve	Thermostatic mixer with diverter and two outlets	G3/4	G3/4	38°C	45°C	DR Brass
VOLA	VOLA	5400FVA3	Thermostatic Mixing Valve	Thermostatic mixer with diverter and three outlets	G3/4	G3/4	38°C	45°C	DR Brass
VOLA	VOLA	5400FVA4	Thermostatic Mixing Valve	Thermostatic mixer with diverter and four outlets	G3/4	G3/4	38°C	45°C	DR Brass
VOLA	VOLA	5400NV	Thermostatic Mixing Valve	Thermostatic mixer with diverter and two outlets	G3/4	G3/4	38°C	45°C	DR Brass
VOLA	VOLA	5400NVA3	Thermostatic Mixing Valve	Thermostatic mixer with diverter and three outlets	G3/4	G3/4	38°C	45°C	DR Brass
VOLA	VOLA	5400NVA4	Thermostatic Mixing Valve	Thermostatic mixer with diverter and four outlets	G3/4	G3/4	38°C	45°C	DR Brass
VOLA	VOLA	5400RV	Thermostatic Mixing Valve	Thermostatic mixer with diverter and two outlets	G3/4	G3/4	38°C	45°C	DR Brass
VOLA	VOLA	5400RVA3	Thermostatic Mixing Valve	Thermostatic mixer with diverter and three outlets	G3/4	G3/4	38°C	45°C	DR Brass
VOLA	VOLA	5400RVA4	Thermostatic Mixing Valve	Thermostatic mixer with diverter and four outlets	G3/4	G3/4	38°C	45°C	DR Brass
VOLA	VOLA	5400RVX	Thermostatic Mixing Valve	Thermostatic mixer with diverter and two outlets	G3/4	G3/4	38°C	45°C	DR Brass
VOLA	VOLA	5400RVXA3	Thermostatic Mixing Valve	Thermostatic mixer with diverter and three outlets	G3/4	G3/4	38°C	45°C	DR Brass
VOLA	VOLA	5400RVXA4	Thermostatic Mixing Valve	Thermostatic mixer with diverter and four outlets	G3/4	G3/4	38°C	45°C	DR Brass
VOLA	VOLA	5400TV	Thermostatic Mixing Valve	Thermostatic mixer with diverter and two outlets	G3/4	G3/4	38°C	45°C	DR Brass
VOLA	VOLA	5400TVA3	Thermostatic Mixing Valve	Thermostatic mixer with diverter and three outlets	G3/4	G3/4	38°C	45°C	DR Brass
VOLA	VOLA	5400TVA4	Thermostatic Mixing Valve	Thermostatic mixer with diverter and four outlets	G3/4	G3/4	38°C	45°C	DR Brass
VOLA	VOLA	5400TVX	Thermostatic Mixing Valve	Thermostatic mixer with diverter and two outlets	G3/4	G3/4	38°C	45°C	DR Brass
VOLA	VOLA	5400TVXA3	Thermostatic Mixing Valve	Thermostatic mixer with diverter and three outlets	G3/4	G3/4	38°C	45°C	DR Brass
VOLA	VOLA	5400TVXA4	Thermostatic Mixing Valve	Thermostatic mixer with diverter and four outlets	G3/4	G3/4	38°C	45°C	DR Brass
VOLA	VOLA	5400V	Thermostatic Mixing Valve	Thermostatic mixer with diverter and two outlets	G3/4	G3/4	38°C	45°C	DR Brass

Brand Name	Model Name	Model ID	Product Type	Product Description	Nominal Size	End Connection	Nominated pre-set Temperature	Limitation of Temperature Adjustment	Material
VOLA	VOLA	5400VA3	Thermostatic Mixing Valve	Thermostatic mixer with diverter and three outlets	G3/4	G3/4	38°C	45°C	DR Brass
VOLA	VOLA	5400VA4	Thermostatic Mixing Valve	Thermostatic mixer with diverter and four outlets	G3/4	G3/4	38°C	45°C	DR Brass
VOLA	VOLA	5600V	Thermostatic Mixing Valve	Thermostatic mixer with diverter and two outlets	G3/4	G3/4	38°C	45°C	DR Brass
VOLA	VOLA	5600VA3	Thermostatic Mixing Valve	Thermostatic mixer with diverter and three outlets	G3/4	G3/4	38°C	45°C	DR Brass
VOLA	VOLA	5600VA4	Thermostatic Mixing Valve	Thermostatic mixer with diverter and four outlets	G3/4	G3/4	38°C	45°C	DR Brass
VOLA	VOLA	5100	Thermostatic Mixing Valve	Thermostatic mixer	G3/4	G3/4	38°C	45°C	DR Brass
VOLA	VOLA	5100X	Thermostatic Mixing Valve	Thermostatic mixer	G3/4	G3/4	38°C	45°C	DR Brass
VOLA	VOLA	5200V	Thermostatic Mixing Valve	Thermostatic mixer	G3/4	G3/4	38°C	45°C	DR Brass
VOLA	VOLA	5300	Thermostatic Mixing Valve	Thermostatic mixer	G3/4	G3/4	38°C	45°C	DR Brass
VOLA	VOLA	5400DV	Valve and Tap Accessories	Diverter and 4 outlets for use with a thermostatic mixer	G3/4	G3/4	N/A	N/A	DR Brass
VOLA	VOLA	5400DVA3	Valve and Tap Accessories	Diverter and 4 outlets for use with a thermostatic mixer	G3/4	G3/4	N/A	N/A	DR Brass
VOLA	VOLA	5400DVA4	Valve and Tap Accessories	Diverter and 4 outlets for use with a thermostatic mixer	G3/4	G3/4	N/A	N/A	DR Brass

END RECORD

END RECORD



 CEO, The IAPMO Group